


CC-SG Desktop Clients Installation Guide

Desktop Admin Clients are installed onto your client machine. A desktop icon is provided to launch the client.

Installation files can be downloaded directly from your CommandCenter Secure Gateway by going to: <https://<CC-SG IP address or hostname>/standalone>



Follow these links to specific instructions for your client type.

- [Windows Desktop Admin Client](#) (on page 1)
- [Mac Desktop Admin Client](#) (on page 3)
- [Linux Desktop Admin Client](#) (on page 6)

In any of the above clients you can set environmental variables for IP address and login credentials or configure them over command prompt. Once set the Admin Client will be launched automatically using the set variables.

► *To Set Environmental Variables:*

On your client create new environmental variables such as CC_IP, CC_USERNAME, and CC_PASSWORD and give your CC-SG IP address and its username and password.

► *To Configure Credentials over Command line:*

- CC-SGAdminClient.exe <CC_IP>
- CC-SGAdminClient.exe <CC_IP> <CC_USERNAME> <CC_PASSWORD>

Windows Desktop Admin Client

The Windows Desktop Admin Client is a version of the Admin Client that does not require Java to be installed on your PC. The Windows Admin Client is installed with a standard Windows installer onto your PC. A desktop icon is provided to launch the client.


The client uses an embedded Java library that is internal to the client, so you can have all the features of the Java-based Admin Client, and avoid issues surrounding Java.

- No Java Applets. Insecure NPAPI protocol is not used.
- No need to install a java runtime environment on the PC.
- No Java updates required.
- No Java incompatibility between applications.
- No browser used.
- No Java/browser security issues.


Install the Windows Desktop Admin Client

► *To install the Windows Desktop Admin Client:*

1. Download the install file directly from the CC-SG by going to: <https://<CC-SG IP address or hostname>/standalone>
2. For the Windows client, choose the .msi file.



3. Launch the installer and click Next to start the installation.
4. Follow the prompts to setup the installation. Accept security prompts if they appear.
5. When the installation is complete, you will find the CC-SG Admin Client icon on your desktop.



Launch the Windows Desktop Admin Client

► *To launch the Windows Desktop Admin Client:*

1. Double-click the desktop icon, then enter a CC-SG IP address and click Start.



2. The Admin Client login page opens.



Interface Support in CC-SG Desktop Admin Client

The CC-SG Desktop Admin Client does not support connections to the following interfaces because they require JRE additions in a browser:

- DRAC5
- DRAC6


Mac Desktop Admin Client

► To download

1. Download the install file directly from the CC-SG by going to: <https://<CC-SG IP address or hostname>/standalone>
2. For the Mac client, choose the .dmg file.


► To install

Double-click the downloaded Mac Desktop Admin Client installation file (.dmg). To allow all users to run the client, drag it to the applications folder.




► *To launch:*

1. Open the command prompt on Mac device and run following commands:
 1. `xattr -dr com.apple.quarantine CC-SGAdminClient.dmg`
 2. open dmg, drag app to desktop (or elsewhere)
 3. `sudo xattr -dr com.apple.quarantine`
 4. Can drag program into terminal to populate path
 5. Enter user password
 6. Run standalone app
2. Right-click client icon and click to open. This will launch the Mac Desktop Admin Client.



3. Enter IP address



4. Click Start.



Linux Desktop Admin Client

► To download

1. Download the install file directly from the CC-SG by going to: <https://<CC-SG IP address or hostname>/standalone>
2. For the Linux client, choose the .rpm file.

► To install

- Run the following command as root user on any Linux that supports rpm installation:
`rpm -i CC-SGAdminClient.x86_64.rpm`
Or run with sudo if you are not logged in as system administrator:
`sudo rpm -i CC-SGAdminClient.x86_64.rpm`

► To launch:

- Find CC-SG Admin Client under Applications/Internet.
Or
- Run `ccadmin` command.

► Note for Fedora 29 or later:

- If Java Web Start applications, such as VKC, SSH, and so on do not launch when you connect to a target from CC-SG, install the following package:

```
dnf install libnsl
```

► *To uninstall:*

- `rpm -e CC-SGAdminClient`
Or
- `sudo rpm -e CC-SGAdminClient`

Note: When making a target connection with a Java web start application, a warning message about Java upgrade might appear at the background of the CC-SG client. Click the Later button for connection to be launched properly and prevent further warning messages.

Additional Information

For more information about CommandCenter Secure Gateway and the entire Raritan product line, see Raritan's website (www.raritan.com). For technical issues, contact Raritan Technical Support. See the Contact Support page in the Support section on Raritan's website for technical support contact information worldwide. Raritan's products use code licensed under the GPL and LGPL. You can request a copy of the open source code. For details, see the Open Source Software Statement at (<https://www.raritan.com/about/legal-statements/open-source-software-statement/>) on Raritan's website.